A European Journal

TM&IH

Tropical Medicine & International Health

Volume 3, 1998

Blackwell Science

© 1998 Blackwell Science
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
Commerce Place, 350 Main Street, Cambridge, Malden, MA 02142-5018, USA
PO Box 378, Carlton South, Victoria 3053, Australia
Blackwell Wissenschaft-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 104, Japan

ALL RIGHTS RESERVED. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior permission of the copyright owner. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $14 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. 1360–2276/96 $14. (For copying beyond that permitted by Sections 107 or 108 of the US Copyright Law). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor.

Printed by Thanet Press Limited, Margate, Kent, UK

TM&IH

Tropical Medicine & International Health

Volume 3

Contents

Issue 1, January 1998

1 Editorial: Immunity in the tropics: how to achieve a balance *A.J. Hall*

3 Intramuscular artemether *vs* intravenous quinine: an open, randomized trial in Malawian children with cerebral malaria *T.E. Taylor, B.A. Wills, J.M. Courval and M.E. Molyneux*

9 Prognostic factors in neonatal tetanus *A.A. Davies-Adetugbo, S.E.A. Torimiro and K.A. Ako-Nai*

14 Pleural tuberculosis in Harare, Zimbabwe: the relationship between human immunodeficiency virus, CD4 lymphocyte count, granuloma formation and disseminated disease *R.S. Heyderman, R. Makunike, T. Muza, M. Odwee, G. Kadzirange, J. Manyemba, C. Muchedzi, B. Ndemera, Z.A.R. Gomo, L.K.Z. Gwanzura and P.R. Mason*

21 The early sporogonic cycle of *Plasmodium falciparum* in laboratory-infected *Anopheles gambiae*: an estimation of parasite efficacy *L.C. Gouagna, B. Mulder, E. Noubissi, T. Tchuinkam, J.P. Verhave and C. Boudin*

29 Yellow fever vaccination during pregnancy and spontaneous abortion: a case-control study *S. de A. Nishioka, F.R.F. Nunes-Araújo, W.P. Pires, F.A. Silva and H.L. Costa*

34 Allergic bronchopulmonary aspergillosis: disease pattern in central Arabia *A. Mobeireek, M.O. Gad El-Rab, I. Joharjy, M. Al-Sohaibani and M. Ashour*

41 Quantitative assessment of circulating antigens in human lymphatic filariasis: a field evaluation of monoclonal antibody-based ELISA using blood collected on filter strips *P. Lalitha, M. Ravichandran, S. Suba, P. Kaliraj, R.B. Narayanan and K. Jayaraman*

46 Secretory acetylcholinesterase of *Setaria cervi* microfilariae and its antigenic cross-reactivity with *Wuchereria bancrofti S. Sharma, S. Misra and S. Rathaur*

52 Human lung fluke *Paragonimus heterotremus*: differential diagnosis between *Paragonimus heterotremus* ad *Paragonimus westermani* infections by EITB *P. Dekumyoy, J. Waikagul and K.S. Eom*

57 Indirect haemagglutination test using monoclonal antibody-affinity purified antigens for diagnosis of human paragonimiasis due to *Paragonimus heterotremus* *W. Maleewong, P.M. Intapan, C. Wongkham, M.P. Pajongthanasaris, N. Morakote and W. Chaicumpa*

60 Prolonged macrophage activation and persistent anaemia in children with complicated malaria *G. Biemba, V.R. Gordeuk, P.E. Thuma, G.F. Mabeza and G. Weiss*

66 Malaria anticircumsporozoite antibodies in Dutch soldiers returning from sub-Saharan Africa *R. Bwire, E.J.H. Slootman, J.P. Verhave, J. Bruins and W.M. Docters van Leeuwen*

70 Prevalence of intestinal parasites in rural Southern Indians *G. Kang, M.S. Mathew, D.P. Rajan, J.D. Daniel, M.M. Mathan, V.I. Mathan and J.P. Muliyil*

76 Recurrence of kala-azar after PKDL: role of co-factors *A. Nandy, M. Addy, A.K. Maji, S.K. Guha, D. Banerjee and D. Chaudhuri*

79 Book review

Issue 2, February 1998

81 Editorial: The next century of Tropical Health *D.J. Bradley*

83 Neuropsychiatric manifestations after mefloquine therapy for *Plasmodium falciparum* malaria: comparing a retrospective and a prospective study *A.M. Rønn, J. Rønne-Rasmussen, P.C. Gøtzsche and I.C. Bygbjerg*

89 Arabian Peninsula men tend to insulin resistance and cardiovascular risk seen in South Asians *R.N.H. Pugh,*

M.M. Hossain, M. Malik, I.T. El Mugamer and M.A. White
95 Immunogenicity of *Haemophilus influenzae*-diphtheria CRM197 protein conjugate vaccine (HbOC) in Libyan infants M. Hadida, L.E. Cuevas, A. Moghadami, M. Baccoosh, R.Q. Gurgel and C.A. Hart
100 Diagnostic quality in rural health centres in Burkina Faso G. Krause, D. Schleiermacher, M Borchert, J. Benzler, R. Heinmüller, K. Ouattara, S. Coulibaly, I. Diasso, A. Ilboudo and H.-J. Diesfeld
108 Direct and indirect costs of the acute form of lymphatic filariasis to households in rural areas of Tamil Nadu, south India K.D. Ramaiah, K. Ramu, H. Guyatt, K.N.V. Kumar and S.P. Pani
116 Patterns of antimicrobial use and antimicrobial resistance among healthy children in Bolivia A. Bartoloni, F. Cutts, S Leoni, C.C. Austin, A. Mantella, P. Guglielmetti, M. Roselli, E. Salazar and F. Paradisi
124 Cellular immune response of *Mastomys* and gerbils in experimental filariasis S. Misra, M. Mukherjee, M. Dikshit and R.K. Chatterjee
130 Retrospective follow-up of maternal deaths and their associated risk factors in a rural district of Tanzania J. MacLeod and R. Rhode
138 Pulmonary tuberculosis and health-seeking behaviour: how to get a delayed diagnosis in Cali, Colombia E. Jaramillo
145 The cost of treating paediatric malaria admissions and the potential impact of insecticide-treated mosquito nets on hospital expenditure J.M. Kirigia, R.W. Snow, J. Fox-Rushby and A. Mills
151 Utility of antibodies against a 22 kD molecule of *Dirofilaria immitis* in the diagnosis of human pulmonary dirofilariasis L. Perera, J.L. Pérez-Arellano, M. Cordero, F. Simón and A. Muro
156 Exchange transfusion as an adjunct to the treatment of severe falciparum malaria S. Hoontrakoon and Y. Suputtamongkol

Issue 3, March 1998

163 Editorial: Geographical Information Systems (GIS), gimmick or tool for health district management? M. Boelaert, M. Arbyn and P. Van der Stuyft
166 Traditional medicine to DNA vaccines: the advance of medical research in West Africa B. Greenwood
177 Enhancement of the antimalarial effect of chloroquine by chlorpheniramine *in vivo* A. Sowunmi, A.M.J. Oduola, O.A.T. Ogundahunsi and L.A. Salako
184 Use of antifilarial IgG4-ELISA to detect *Brugia malayi* infection in an endemic area of Malaysia N. Rahmah, A. Khairul Anuar, R.H. Tengku Ariff, M.N. Zurainee, A. Noor A'shikin, A. Fadzillah, A. Maimunah and J. Ashraful Haq
189 *Mycobacterium ulcerans* infection in a child from Angola: diagnosis by direct detection and culture W. Bär, S. Rüsch-Gerdes, E. Richter, G. Marquéz de Bär, Ch. Dittmer, H. Papsdorf, P. Stosiek, P.B. de Rijk, W.M. Meyers and F. Portaels
197 A community randomized controlled trial of insecticide-treated bednets for the prevention of malaria and anaemia among primigravid women on the Kenyan coast C.E. Shulman, E.K. Dorman, A.O. Talisuna, B.S. Lowe, C. Nevill, R.W. Snow, H. Jilo, N. Peshu, J.N. Bulmer, S. Graham and K. Marsh
205 Bacteria and viruses that cause respiratory tract infections during the pilgrimage (Haj) seasons in Makkah, Saudi Arabia S.M. El-Sheikh, S.M. El-Assouli, K.A. Mohammed and M. Albar
210 Schiotz tonometry for glaucoma: are there simple alternatives? M. Kok, T.T.J.M. Berendschot and P. Hardus
214 *Schistosomiasis haematobia* in Mali: prevalence rate in school-age children as index of endemicity in the community M. Traoré, G.H. Maude and D.J. Bradley
222 Relationships between histopathological findings and phylogenetic divergence in *Trypanosoma cruzi* J.A. de Diego, M.T. Palau, C. Gamallo and P. Penin
234 *Schistosoma mansoni* infection in a recently exposed community in Senegal: lack of correlation between liver morphology in ultrasound and connective tissue metabolites in serum G.-D. Burchard, F. Guissé-Sow, M. Diop, A. Ly, R. Lanuit, B. Gryseels and A.M. Gressner
242 Electron-microscopic examination of *Rickettsia tsutsugamushi*-infected human liver E. Pongponratn, Y. Maneerat, U. Chaisri, P. Wilairatana, B. Punpoowong, P. Viriyavejakul and M. Riganti
249 Letter to the Editors
250 Announcement

Issue 4, April 1998

251 Editorial: Do we need population monitoring laboratories to evaluate community-based prevention of cardiovascular disease in developing countries? O. Razum, M. Borchert and W. Scheuermann
256 Editorial: There are no shortcuts to finding out what works – population laboratories are essential tools S. Ebrahim
258 A comparison of oral fluid and serum for the detection of rubella-specific antibodies in a community study in Addis Ababa, Ethiopia D.J. Nokes, W. Nigatu, A. Abebe, T. Messele, A. Dejene, F. Enquselassie, A. Vyse, D. Brown and F.T. Cutts
268 Respiratory syncytial virus infection in tropical and developing countries M.W. Weber, E.K. Mulholland

and B.M. Greenwood

281 The effect of chemoprophylaxis on the timing of onset of falciparum malaria *H. Reyburn, R.H. Behrens, D. Warhurst and D. Bradley*

286 Relative versus absolute risk of dying reduction after using insecticide-treated nets for malaria control in Africa *C. Lengeler, J. Armstrong-Schellenberg, U. D'Alessandro, F. Binka and J. Cattani*

291 Improved injection practices after the introduction of treatment and sterility guidelines in Tanzania *J. Vos, B. Gumodoka, H.A. van Asten, Z.A. Berege, W.M. Dolmans and M.W. Borgdorff*

297 Low overall mortality of Turkish residents in Germany persists and extends into second generation: merely a healthy migrant effect? *O. Razum, H. Zeeb, H.S. Akgün and S. Yilmaz*

304 High prevalence of *Plasmodium malariae* and *Plasmodium ovale* in malaria patients along the Thai-Myanmar border, as revealed by acridine orange staining and PCR-based diagnoses *M. Zhou, Q. Liu, C. Wongsrichanalai, W. Suwonkerd, K. Panart, S. Prajakwong, A. Pensiri, M. Kimura, H. Matsuoka, M.U. Ferreira, S. Isomura and F. Kawamoto*

313 IgG4 serology of loiasis in three villages in an endemic area of south-eastern Gabon *F.S. Touré, T.G. Egwang, P. Millet, O. Bain, A.J. Georges and G. Wahl*

318 Human IgE responses to rSm22.6 are associated with infection intensity rather than age *per se*, in a recently established focus *Schistosomiasis mansoni M. Webster, M. Roberts, A.J.C. Fulford, M. Marguerite, M.-C. Gallisot, M. Diagne, M. Niang, G. Riveau, A. Capron and D.W. Dunne*

327 Clinical findings in female genital schistosomiasis in Madagascar *P. Leutscher, V.E. Ravaoalimalala, C. Raharisolo, C.E. Ramarokoto, M. Rasendramino, A. Raobelison, B. Vennervald, P. Esterre and H. Feldmeier*

333 Conference report: Attacking poverty and improving health: a report on the WHO/State of Maryland International Health Congress, Baltimore, September 1997 *M. Jancloes and J.D. Martin*

Issue 5, May 1998

337 Editorial: We have a cancer vaccine - why don't we use it? *A. Hall*

339 Novel, sensitive and low-cost diagnostic tests for 'river blindness' - detection of specific antigens in tears, urine and dermal fluid *J.L. Ngu, C. Nkenfou, E. Capuli, T.E. McMoli, F. Perler, J. Mbwagbor, C. Tume, O.B. Nlatte, J. Donfack and T. Asonganyi*

349 Injury control in Africa: getting governments to do more *S.N. Forjuoh, A.B. Zwi and C.N. Mock*

357 Effectiveness of chemoprophylaxis and other determinants of malaria in travellers to Kenya *N. Muehlberger, T. Jelinek, U. Schlipkoeter, F.v. Sonnenburg and H.D. Nothdurft*

364 Cryptic speciation in *Triatoma sordida* (Hemiptera: Reduviidae) from the Bolivian Chaco *F. Noireau, T. Gutierrez, M. Zegarra, R. Flores, F. Brenière, L. Cardozo and J.-P. Dujardin*

373 Tandemly repeated genomic sequence demonstrates inter- and intra-strain genetic variation in *Schistosoma japonicum A.C. Drew, P.J. Brindley, F.A. Lewis, Y.S. Liang and D.J. Minchella*

381 *In vitro* sensitivity of *Plasmodium falciparum* to halofantrine compared with chloroquine, quinine and mefloquine in the region of Bobo-Dioulasso, Burkina Faso (West Africa) *J.B. Ouédraogo, Y. Dutheil, H. Tinto, B. Traoré, H. Zampa, F. Tall, S.O. Coulibaly and R.T. Guiguemdé*

385 Cytopathic effects of *Blastocystis hominis* on Chinese hamster ovary (CHO) and adeno carcinoma HT29 cell cultures *B. Walderich, S. Bernauer, M. Renner, J. Knobloch and G.-D. Burchard*

391 Causes of locomotor disability and need for orthopaedic devices in a heavily mined Taliban-controlled province of Afghanistan: issues and challenges for public health managers *I. François, M.-L. Lambert, C. Salort, V. Slypen, F. Bertrand and R. Tonglet*

397 Chemotherapy of onchocerciasis: results of *in vitro* experiments with promising new compounds *G. Strote, I. Bonow, M. Krömer, T. Rubio de Krömer, S. Attah and N. Opoku*

408 Susceptibility of severe combined immuno-deficient (SCID) mice to *Trypanosoma brucei gambiense* and *T. b. rhodesiense N. Inoue, D. Narumi, P.A. Mbati, K. Hirumi, N-T.H. Situakibanza and H. Hirumi*

413 Patterns of treatment for malaria in Tayabas, The Philippines: implications for control *C.A. Miguel, L. Manderson and M.A. Lansang*

Issue 6, June 1998

423 Editorial: Tuberculosis: where do we stand? *M. Becx-Bleumink and J.F. Broekmans*

425 An investigation into the interaction between drug efficacy and drug price of praziquantel in determining the cost-effectiveness of school-targeted treatment for *Schistosoma mansoni* using a population dynamic model *H.L. Guyatt and M.S. Chan*

436 Verbal autopsies for adult deaths: their development and validation in a multicentre study *D. Chandramohan, G.H. Maude, L.C. Rodrigues and R.J. Hayes*

447 Maternal anthropometry-based screening and

pregnancy outcome: a decision analysis *M.S. Kramer, J. Haas and A. Kelly*
454 Financing changes of schistosomiasis control programmes in China 1980–1995; a case study in Songzi county *H. Xiang, S. Yu, S. Yi and Y. Dai*
462 Albendazole plus praziquantel versus albendazole alone as a pre-operative treatment in intra-abdominal hydatidosis caused by *Echinococcus granulosus* *F. Cobo, C. Yarnoz, B. Sesma, P. Fraile, M. Aizcorbe, R. Trujillo, A. Diaz-De-Liaño and M.A. Ciga*
467 Filarial elephantiasis among Haitian women: social context and behavioural factors in treatment *J. Coreil, G. Mayard, J. Louis-Charles and D. Addiss*
474 Key indicators for the monitoring and evaluation of control programmes of human African trypanosomiasis due to *Trypanosoma brucei gambiense B. Bouchet, D. Legros and E. Lee*
482 Quinine pharmacokinetics: ototoxic and cardiotoxic effects in healthy Caucasian subjects and in patients with falciparum malaria *F.A.P. Claessen, C.J. van Boxtel, R.M. Peerenboom, R.A. Tange, J.C.F.M. Wetsteijn and P.A. Kager*
490 Distinction of recrudescences from new infections by PCR-RFLP analysis in a comparative trial of CGP 56 697 and chloroquine in Tanzanian children *A. Irion, I. Felger, S. Abdulla, T. Smith, R. Mull, M. Tanner, C. Hatz and H.P. Beck*
498 Efficacy and safety of CGP 56697 (artemether and benflumetol) compared with chloroquine to treat acute falciparum malaria in Tanzanian children aged 1–5 years *C. Hatz, S. Abdulla, R. Mull, D. Schellenberg, I. Gathmann, P. Kibatala, H.P. Beck, M. Tanner and C. Royce*
505 Human occult loiasis: field evaluation of a nested polymerase chain reaction assay for the detection of occult infection *F.S. Touré, E. Mavoungou, L. Kassambara, T. Williams, G. Wahl, P. Millet and T.G. Egwang*
512 Towards new partnerships for health development in developing countries: the contractual approach as a policy tool *G. Carrin, M. Jancloes and J. Perrot*
515 Announcement

Issue 7, July 1998

517 Editorial: Nosocomial infection in developing countries: time to learn *A Hall*
518 Stability of strain genotypes of *Burkholderia pseudomallei* from patients with single and recurrent episodes of melioidosis *J. Vadivelu, S.D. Puthucheary, B.S. Drasar, D.A.B. Dance and T.L. Pitt*
522 The potential role of peripheral health workers and community key informants in the rapid assessment of community burden of disease: the example of lymphatic filariasis *J.O. Gyapong, R.H. Webber and S. Bennett*
529 Geophagy, iron status and anaemia among primary school children in Western Kenya *P. W. Geissler, D.L. Mwaniki, F. Thiong'o, K.F. Michaelsen, and H. Friis*
535 A systematic approach to the development of a rational malaria treatment policy in Zambia *L.M. Barat, B. Himonga, S. Nkunika, M. Ettling, T.K. Ruebush, W. Kapelwa and P.B. Bloland*
543 Chloroquine in Africa: critical assessment and recommendations for monitoring and evaluating chloroquine therapy efficacy in sub-Saharan Africa *P.B. Bloland, P.N. Kazembe, A.J. Oloo, B. Himonga, L.M. Barat and T.K. Ruebush*
553 Trichomoniasis treatment in women: a systematic review *A.M. Gülmezoglu and P. Garner*
559 How robust are district health systems? Coping with crisis and disasters in Rutshuru, Democratic Republic of Congo *D. Porignon, E. Mugisho Soron'Gane, T. Elongo Lokombe, D. Katulanya Isu, P. Hennart and W. Van Lerberghe*
566 Surveillance épidémiologique specifique de la dengue: Méthode et intérêt lors de l'épidémie de dengue 2 en Polynésie francaise en 1996 *X. Deparis, E. Chungue, S. Pauck, C. Roche, B. Murgue and L. Gleize*
571 Assessment of central nervous system involvement in *gambiense* trypanosomiasis: value of the cerebro-spinal fluid white cell count *T.W. Miezan, H.A. Meda, F. Doua, F.B. Yapo and T. Baltz*
576 Molecular, antibiogram and serological typing of *Staphylococcus aureus* isolates recovered from Al-Makased hospital in East Jerusalem *T. Essawi, T. Na'was, A. Hawwari, S. Wadi, A. Doudin and A.I. Fattom*
584 Monitoring unmet obstetric need at district level in Morocco *A. Belghiti, V. De Brouwere, G. Kegels and W. Van Lerberghe*
592 Adverse effects of early phenobarbital administration in term newborns with perinatal asphyxia *O.A. Ajayi, O.T. Oyaniyi and U.D. Chike-Obi*
596 Rodent malari in rats exacerbated by milk protein, attenuated by low-protein vegetable diet *C.W. van Doorne, W.M.C. Eling and R. Luyken*
601 Book review
602 Letter to the Editors

Issue 8, August 1998

603 Editorial: Our first centenary *D. Bradley and A. J. Hall*
605 Polymorphisms in the dihydrofolate reductase (DHFR) and dihydropteroate synthetase (DHPS) genes of

Plasmodium falciparum and *in vivo* resistance to sulphadoxine /pyrimethamine in isolates from Tanzania *T. Jelinek, A.M. Rønn, M.M. Lemnge, J. Curtis, J. Mhina, M.T. Duraisingh, I.C. Bygbjerg and D.C. Warhurst*

610 Acute bacterial meningitis in children admitted to the Queen Elizabeth Central Hospital, Blantyre, Malawi in 1996–97 *E. Molyneux, A. Walsh, A. Phiri and M. Molyneux*

619 A comparison of use of a pyrethroid either for house spraying or for bednet treatment against malaria vectors *C.F. Curtis, C.A. Maxwell, R.J. Finch and K.J. Njunwa*

632 Recurrence of blackwater fever: triggering of relapses by different antimalarials *J. Van den Ende, G. Coppens, T. Verstraeten, T. Van Haegenborgh, K. Depraetere, A. Van Gompel, E. Van den Enden, J. Clerinx, R. Colebunders, W.E. Peetermans and W. Schroyens*

640 Voluntary health insurance in Bwamanda, Democratic Republic of Congo. An exploration of its meanings to the community *B. Criel, M. Van Dormael, P. Lefèvre, U. Menase and W. Van Lerberghe*

654 Schistosomiasis screening and health education for children: action research in Nile delta villages *S. el Katsha and S. Watts*

661 The impact of vitamin A supplementation given during a pneumonia episode on the subsequent morbidity of children *L. C. Nacul, P. Arthur, B. R. Kirkwood, S. S. Morris, A. C. Cameiro and A. F. Benjamin*

667 La transmission du paludisme dans la zone de Niakhar, Sénégal *V. Robert, H. Dieng, L. Lochouarn, S.F. Traoré, J.-F. Trape, F. Simondon and D. Fontenille*

678 Nutritional status of children admitted to hospital with different diseases and its relationship to outcome in The Gambia, West Africa *W.D.-C. Man, M. Weber, A. Palmer, G. Schneider, R. Wadda, S. Jaffar, E.K. Mulholland and B.M. Greenwood*

687 Letter to the Editors

687 Announcement

Issue 9, September 1998

689 Editorial: Zidovudine to prevent mother-to-infant HIV transmission in developing countries: any questions? *P. Van der Stuyft, M. Boelaert and M. Temmerman*

691 Potential implications of the integrated management of childhood illness (IMCI) for hospital referral and pharmaceutical usage in western Uganda *P. Randall Kolstad, G. Burnham, H.D. Kalter, N. Kenya-Mugisha and R.E. Black*

700 Origin and prevention of airport malaria in France *P. Guillet, M.C. Germain, T. Giacomini, F. Chandre, M. Akogbeto, O. Faye, A. Kone, L. Manga and J. Mouchet*

706 Seasonal density, sporozoite rates and entomological inoculation rates of *Anopheles gambiae* and *Anopheles funestus* in a high altitude sugarcane growing zone in Western Kenya *J.I. Shililu, W.A. Maier, H.M. Seitz and A.S. Orago*

711 *Schistosoma mansoni*, intestinal parasites and perceived morbidity indicators in schoolchildren in a rural endemic area of western Côte d'Ivoire *J. Utzinger, E.K. N'Goran, C.M. Esse Aya, C. Acka Adjoua, K.L. Lohourignon, M. Tanner and C. Lengeler*

721 Diagnostic significance of *Schistosoma mansoni* proteins Sm31 and Sm32 in human schistosomiasis in an endemic area in Egypt *L.H. El-Sayed, H. Ghoneim, S.R. Demian, M.H. El-Sayed, N.M. Tawfik, I. Sakr, L.M. Abou-Basha, E. Renganathan, M.Q. Klinkert and N. Abou-Rawash*

728 Sonographic prediction of variceal bleeding in patients with liver fibrosis due to *Schistosoma mansoni* *J. Richter, A.R. Correia Dacal, J.G. Vergetti Siqueira, G. Poggensee, U. Mannsmann, A. Deelder and H. Feldmeier*

736 Megazol combined with suramin: a chemotherapy regimen which reversed the CNS pathology in a model of human African trypanosomiasis in mice *B. Enanga, M. Keita, G. Chauvière, M. Dumas and B. Bouteille*

742 Meningitis caused by a serogroup W135 clone of the ET-37 complex of *Neisseria meningitidis* in West Africa *A. Kwara, R.A. Adegbola, P.T. Corrah, M. Weber, M. Achtman, G. Morelli, D.A. Caugant and B.M. Greenwood*

747 Pooling sera to reduce the cost of HIV surveillance: a feasibility study in a rural Kenyan district *T. Verstraeten, B. Farah, L. Duchateau and R. Matu*

751 Measles vaccination before nine months *K. George, A. Joseph, J. Muliyil, S. Abraham, S. Bhattacharji and K.R. John*

757 Seroprevalence of viral hepatitis in Tanzanian adults *W.C. Miller, J.F. Shao, D.J. Weaver, G.H. Shimokura, D.A. Paul and G.J. Lallinger*

764 Corrigendum

764 Letter to the Editors

Issue 10, October 1998

765 Editorial: Sustainable health development – sustainable health services *M. Tanner*

767 Effect of motorcycle rider education on changes in risk behaviours and motorcycle-related injuries in rural Thailand *W. Swaddiwudhipong, C. Boonmak, P. Nguntra and P. Mahasakpan*

771 Strategies for reducing maternal mortality in developing countries: what can we learn from the history of the

industrialized West? *V. De Brouwere, R. Tonglet and W. Van Lerberghe*
783 Local understandings of adult diarrhoeal disease and its treatment in an area of high HIV-seroprevalence in Zambia *P. Ndubani, P. Kelly, M.J.G. Farthing and S. Wallman*
788 Financially independent primary health care drug supply system in Cameroun *F. von Massow, R. Korte, C. Cheka, M. Kuper, H. Tata and B. Schmidt-Ehry*
802 Willingness to pay for community-based ivermectin distribution: a study of three onchocerciasis-endemic communities in Nigeria *O.E. Onwujekwe, E.N. Shu, D. Nwagbo, C.O. Akpala and P.O. Okonkwo*
809 Measurement of ovalocyte frequency in peripheral blood smears in defining ovalocytosis in Papua New Guinea *P. Sapak, A. Sleigh, G. Williams, W. Peter, M. Ginny and M. Waranduo*
818 Predicting key malaria transmission factors, biting and entomological inoculation rates, using modelled soil moisture in Kenya *J.A. Patz, K. Strzepek, S. Lele, M. Hedden, S. Greene, B. Noden, S.I. Hay, L. Kalkstein and J.C. Beier*
828 Sensitive ELISA dipstick test for the detection of chloroquine in urine under field conditions *P. Schwick, T.A. Eggelte, F. Hess, T.T. Tueumuna, D. Payne, H.D. Nothdurft, F. von Sonnenburg and T. Löscher*
833 A simple field test for detecting pyrethroids on impregnated nets *P. Verlé, N.T. Ruyen, N.T. Huong, N.T. Be, A. Kongs, P. Van der Stuyft and M. Coosemans*
837 Five year impact of chemotherapy on morbidity attributable to *Schistosoma japonicum* infection in the Dongting Lake region *A.G.P. Ross, Y. Li, M. Booth, A.C. Sleigh, G.M. Williams and D.P. McManus*
842 A school-based schistosomiasis and intestinal helminthiasis control programme in Nigeria: acceptability to community members *O.C. Nwaorgu, J. Okeibunor, E. Madu, U. Amazigo, N. Onyegegbu and D. Evans*
850 Implications for school-based health programmes of age and gender patterns in the Tanzanian primary school *The Partnership for Child Development*
854 Errata

Issue 11, November 1998

855 Editorial: Molecular epidemiology of dengue virus – the time for big science *E.C. Holmes*
857 Short communication: Dengue serotype 2 subtype III ('Jamaica') epidemic in Santa Cruz, Bolivia *P. Van der Stuyft, A. Gianella, M. Pirard, A. Holzman, C. Peredo, M. Boelaert and V. Vorndam*
859 Changing clinical and biological manifestations of dengue during the dengue-2 epidemic in French Polynesia in 1996/97 – description and analysis in a prospective study *X. Deparis, B. Murgue, C. Roche, O. Cassar and E. Chungue*
866 Possible dengue sequential infection: dengue spread in a neighbourhood during the 1996/97 dengue-2 epidemic in French Polynesia *X. Deparis, C. Roche, B. Murgue and E. Chungue*
872 Yellow fever outbreak in Kaffrine, Senegal, 1996: epidemiological and entomological findings *J. Thonnon, A. Spiegel, M. Diallo, R. Sylla, A. Fall, M. Mondo and D. Fontenille*
878 Outbreak of Crimean-Congo haemorrhagic fever in Quetta, Pakistan: contact tracing and risk assessment *A. Altar, S. Luby, A.J. Ahmed, N. Zaidi, A.J. Khan, S. Mirza, J. McCormick and S. Fisher-Hoch*
883 Survey among survivors of the 1995 Ebola epidemic in Kikwit, Democratic Republic of Congo: their feelings and experiences *A. de Roo, B. Ado, B. Rose, Y. Guimard, K. Fonck and R. Colebunders*
886 Review of varicella zoster seroepidemiology in India and South-east Asia *B.W. Lee*
891 Infection with group C rotavirus in a suburban community in Brazil *M.J. Cox, V.L.A. James, R.S. Azevedo, E. Massad and G.F. Medley*
896 Incidence and risk factors of diarrhoea in Dutch travellers: consequences for priorities in pre-travel health advice *F.G.J. Cobelens, A. Leentvaar-Kuijpers, J. Kleijnen and R.A. Coutinho*
904 Epidemiology of soil-transmitted nematode infections in Ha Nam Province, Vietnam *C. Needham, H.T. Kim, N.V. Hoa, L.D. Cong, E. Michael, L. Drake, A. Hall and D.A.P. Bundy*
913 Discrepancy in plasma melasorprol concentrations between HPLC and bioassay methods in patients with *T. gambiense* sleeping sickness indicates that melarsoprol is metabolized *U. Bronner, R. Brun, F. Doua, Ö. Ericsson, C. Burri, J. Keiser, T.W. Miézan, Y.F. Boa, L. Rombo and L.L. Gustafsson*
918 Ivermectin influence on the mast cell activity in nodules of onchocerciasis patients *G. Wildenburg, S. Korten, P. Mainuka and D.W. Büttner*
926 Obstetric care in southern Tanzania: does it reach those in need? *A. Jahn, M. Kowalewski and S.S. Kimatta*

Issue 12, December 1998

933 Editorial: How unhealthy is migrating? *T. Junghanss*
935 Editorial: Has *TM&IH* entered the top 3 of the tropical medicine journals? Reflections on the journal's unexpected first impact factor *D. Schoonbaert, P. Van der Stuyft and G. Roelants*
936 Migration and health in the European Union

M. Carballo, J.J. Divino and D. Zeric

945 Is apoptosis involved in mechanisms to eliminate *Onchocerca ochengi* during *Simulium damnosum* s.l. immune response? *H.-E. Hagen, S.L. Kläger and G.T. Williams*

951 The effects of ivermectin on onchocercal skin disease and severe itching: results of a multicentre trial *W.R. Brieger, A.K. Awedoba, C.I. Eneanya, M. Hagan, K.F. Ogbuagu, D.O. Okello, O.O. Ososanya, E.B.L. Ovuga, M. Noma, O.O. Kale, G.M. Burnham and J.H.F. Remme*

962 Rapid risk household screening by neonatal arm circumference: results from a cohort study in rural Burkina Faso *J. Benzler and R. Sauerborn*

975 Outcome of second-line tuberculosis treatment in migrants from Vietnam *International Organization for Migration (IOM) Tuberculosis Working Group*

981 A comprehensive assessment of the quality of immunization services in one major area of Dhaka City, Bangladesh *H. Perry, R. Weierbach, S. El-Arifeen and I. Hossain*

993 Editorial: Medical anthropology and infectious disease control *J. Sommerfeld*

996 Cultural interpretations of contagion *A. Caprara*

1002 Methods and meanings in anthropological, epidemiological and clinical encounters: the case of sexually transmitted disease and human immunodeficiency virus control and prevention in India *H. Lambert*

1011 Incorporating gender in the anthropology of infectious diseases *C. Vlassoff and L. Manderson*

1020 Applying medical anthropology in the control of infectious disease *L. Manderson*

1028 Referees

1030 Author index